


ICE BOARD LED WALL

eXtraordinary Display For
eXecutive Meeting Room & Conference Hall




The ICE Board All-in-One LED Wall combines simplicity, versatility, and exceptional visual performance to create captivating and immersive displays. With its seamless integration, user-friendly controls, and reliable operation, the ICE Board opens up a world of possibilities for digital signage, events, and other applications. Experience the power of the ICE Board and elevate your visual communication to new heights.

Increase More Engagement With Optimal Visualization



**Bring Your Device & Share Your Screen to ICE Board LED Wall
(up to 4 device simultaneously)**






**220 inch suitable
for 3 x 5m display area**

**120 inch suitable
for 2,5 x 1,5m display area**



**Minimalist style design
with 3 mm
super narrow frame.**

**Ultra-slim structure
with 31 mm
display thickness.**



16:9 Display Ratio



Plug & play Operation



Remote Control



Indicator Light



Built-in Smart System



USB Reading



Optional stand for 120"-165"

Product Specification

- Astonishing Display with Bezel-Free Look
- Wireless screen-sharing (up to 4 devices)
- Built-in Android System
- Adjustable Brightness Setting
- Easy to operate with remote control
- Mirror/enlarge from Interactive Flat Panel (wired)
- Support full-front service
- Bring simplicity for efficient business presentation



ICE BOARD LED WALL	120 Inch	138 Inch	165 Inch	220 Inch
Pixel Pitch (mm)	2.0	1.9	1.9	2.5
Brightness (nits)	100-550	100-550	100-550	100-550
Refresh Rate (Hz)	1920/3840Hz	3840	3840	3840
Resolution	1280x720	1600x900	1920x1080	1920x1080
Power Consumption (Max / Ave)	1.85 / 0.74 (KW)	1.97 / 0.79 (KW)	2.83 / 1.13 (KW)	5.20 / 1.76 (KW)
Display Area (mm)	2664 x 1499	3050 x 1715	3660 x 2058	4880 x 2745
Overall Dimension (mm)	2678 x 1616 x 31	3064 x 1832 x 31	3674 x 2175 x 31	4893 x 2862 x 31
Weight (kg)	90	140	190	330
Recommended Viewing Distance	>2.6m	>3.8m	>3.8m	>5m
Gray Scale (Bit)	13-16bit	13-16bit	13-16bit	13-16bit
Viewing Angle (H/V)	170 / 170	160 / 140	160 / 140	170 / 170
Installation Method	Wall Mounting / With Stand	Wall Mounting / With Stand	Wall Mounting / With Stand	Wall Mounting

Our Partner:

www.iceboard.id



ICE Board Interactive Flat Panel & LED Wall